

MODELISATIONS : PANACHES DES EMISSIONS DE GAZ, PHAST


Table des matières

1. PhD_1C Emission de gaz suite rupture pneumatique du pré-digesteur : relargage de biogaz sans inflammation	3
2. PhD_1D et 1E : Emission de gaz suite rupture pneumatique du pré-digesteur : relargage de biogaz et inflammation retardee.....	4
3. PhD_2C Emission de gaz suite rupture pneumatique du digesteur : relargage de biogaz sans inflammation	6
4. PhD_2D et 2E Emission de gaz suite rupture pneumatique du digesteur : relargage de biogaz et inflammation retardee	8
5. PhD_3C Emission de gaz suite rupture pneumatique de la cuve d'expédition digestat par barges: relargage de biogaz sans inflammation.....	11
6. PhD_3D et 3E Emission de gaz suite rupture pneumatique de la cuve d'expédition digestat par barges: relargage de biogaz et inflammation retardee.....	12
7. PhD_4B Emission de gaz suite rupture pneumatique du gazometre : relargage de biogaz sans inflammation	14
8. PhD_4C et 4d Emission de gaz suite rupture pneumatique du gazometre : relargage de biogaz et inflammation retardee	16
9. PhD_5A : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz brut en sortie des stockages de digestat : relargage de biogaz brut sans inflammation .	19
9.1. Canalisation haute pré-digesteur h12m	19
9.2. Canalisation haute digesteur 18,3 m.....	20
9.3. Canalisation haute cuve digestat expédition 8,0 m	20
10. PhD_5C et 5D : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz brut en sortie des stockages de digestat : relargage de biogaz brut et inflammation retardee	22
10.1. Canalisation haute pré-digesteur h12m.....	22
10.2. Canalisation haute digesteur h18,3 m.....	23
10.3. Canalisation haute cuve digestat expédition 8,0 m	24
11. PhD_6A : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz brut en partie basse : relargage de biogaz brut sans inflammation	25
11.1. Canalisation basse pré-digesteur 1m	25
11.2. Canalisation basse digesteur 1m	25
11.3. Canalisation basse cuve expédition digestat 1m.....	25
11.4. Canalisation basse gazomètre	26
12. PhD_6C et 6D : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz brut en partie basse : relargage de biogaz brut et inflammation retardee ..	27
12.1. Canalisation basse pré-digesteur 1m	27


12.2.	Canalisation basse digesteur 1m	28
12.3.	Canalisation basse cuve expédition digestat barges 1m	29
12.4.	Canalisation basse gazomètre	30
13.	PhD_7A : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz désulfuré en partie basse : relargage de biogaz désulfuré sans inflammation 31	
14.	PhD_7C et 7D : Emission de gaz suite rupture guillotine d'une canalisation aérienne de distribution de biogaz désulfuré en partie basse : relargage de biogaz désulfuré et inflammation retardée.....	32
15.	PhD_8B et 8C : Emission d'un nuage de biométhane suite rupture guillotine d'un tronçon aérien d'une canalisation de biométhane reliant le module épuration au poste d'injection GRDF : relargage de biométhane et inflammation immédiate retardée.....	33
16.	PhD_10A : Emission de gaz suite guillotine du tronçon aérien en sortie du compresseur : relargage de biogaz désulfuré sans inflammation	34
17.	PhD_10C et 10D : Emission de gaz suite guillotine du tronçon aérien en sortie du compresseur : relargage de biogaz désulfuré et inflammation retardée	35
18.	PhD_12A : Rejet de biogaz brut en sortie de torchère suite à perte de brûlage sans inflammation	36
19.	PhD_12B et 12C : Rejet de biogaz brut en sortie de torchère suite à perte de brûlage et inflammation retardée	37

1. PHD_1C EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU PRE-DIGESTEUR : RELARGAGE DE BIOGAZ SANS INFLAMMATION


Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_1C_Catastr ophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_1C_Catastr ophic rupture
Time	0,500556 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_1C_Catastr ophic rupture
Time	0,988599 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




2. PHD_1D ET 1E : EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU PRE-DIGESTEUR : RELARGAGE DE BIOGAZ ET INFLAMMATION RETARDEE

prédigesteur


Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE



Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0,518969 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,01199 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,50501 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	2,02398 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	2,38726 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




3. PHD_2C EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU DIGESTEUR : RELARGAGE DE BIOGAZ SANS INFLAMMATION


Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_2C_Catastr ophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_2C_Catastr ophic rupture
Time	0,507252 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_2C_Catastr ophic rupture
Time	1,0145 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	PhD_2C_Catastr ophic rupture
Time	1,52175 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	PhD_2C_Catastr ophic rupture
Time	1,83052 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




4. PHD_2D ET 2E EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU DIGESTEUR : RELARGAGE DE BIOGAZ ET INFLAMMATION RETARDEE


Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0,516822 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,03364 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,50348 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	2,0203 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	2,49014 s
Weather	Multiple Weather
Workspace	PAPREC_offre2



Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	3,00697 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	3,52379 s
Weather	Multiple Weather
Workspace	PAPREC_offre2




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	4.04061 s
Weather	Multiple Weather
Workspace	PAPREC_offre2

Side view
Catastrophic rupture




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	Catastrophic rupture
Time	4.41648 s
Weather	Multiple Weather
Workspace	PAPREC_offre2

Side view
Catastrophic rupture




5. PHD_3C EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DE LA CUVE D'EXPEDITION DIGESTAT PAR BARGES: RELARGAGE DE BIOGAZ SANS INFLAMMATION


Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_3C_Catastr ophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_3C_Catastr ophic rupture
Time	0,510083 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_3C_Catastr ophic rupture
Time	0,882019 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




6. PHD_3D ET 3E EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DE LA CUVE D'EXPEDITION DIGESTAT PAR BARGES: RELARGAGE DE BIOGAZ ET INFLAMMATION RETARDEE


Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	0,513738 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,00412 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	1,51786 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	2,00825 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




Audit Number	44339
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Catastrophic rupture
Time	2,19506 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
Catastrophic rupture




7. PHD_4B EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU GAZOMETRE : RELARGAGE DE BIOGAZ SANS INFLAMMATION


Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4B_Catastr ophic rupture
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4B_Catastr ophic rupture
Time	0,507252 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4B_Catastr ophic rupture
Time	1,0145 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	PhD_4B_Catastr ophic rupture
Time	1,52175 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Audit Number	44392
Averaging time	Toxic (60 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	PhD_4B_Catastr ophic rupture
Time	1,85257 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

Side view
PhD_4B_Catastrophic rupture




Side view
PhD_4B_Catastrophic rupture




8. PHD_4C ET 4D EMISSION DE GAZ SUITE RUPTURE PNEUMATIQUE DU GAZOMETRE : RELARGAGE DE BIOGAZ ET INFLAMMATION RETARDEE


Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	0 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	0,516822 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	1,03364 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	1,50348 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	2,0203 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	2,53713 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	3,00697 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	3,52379 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	4,04061 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_4D et PhD_4E_catastr ophic ruptur
Time	4,41648 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




9. PHD_5A : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ BRUT EN SORTIE DES STOCKAGES DE DIGESTAT : RELARGAGE DE BIOGAZ BRUT SANS INFLAMMATION

9.1. Canalisation haute pré-digesteur h12m


Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5A DN200 hauteur 12m
Time	1 s
Weather	Category 3/F
Workspace	PAPREC_PHAST_DAE



Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5A DN200 hauteur 12m
Time	50,2697 s
Weather	Category 3/F
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5A DN200 hauteur 12m
Time	439,948 s
Weather	Category 3/F
Workspace	PAPREC_PHAST_DAE




9.2. Canalisation haute digesteur 18,3 m

Audit Number	44392
Averaging time	Toxic (3600 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_SA DN200 hauteur 18,3m
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Toxic (3600 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_SA DN200 hauteur 18,3m
Time	2762,71 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




9.3. Canalisation haute cuve digestat expédition 8,0 m


Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_SA DN200 hauteur 8m
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_SA DN200 hauteur 8m
Time	33,8736 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_SA DN200 hauteur 8m
Time	269,468 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




10. PHD_5C ET 5D : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ BRUT EN SORTIE DES STOCKAGES DE DIGESTAT : RELARGAGE DE BIOGAZ BRUT ET INFLAMMATION RETARDEE

10.1. Canalisation haute pré-digesteur h12m


Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 12m
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 12m
Time	14,4281 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 12m
Time	439,652 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




10.2. Canalisation haute digesteur h18,3 m


Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 18,3m
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 18,3m
Time	141,882 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_5BCD DN200 guillotine hauteur 18,3m
Time	2762,28 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




10.3. Canalisation haute cuve digestat expédition 8,0 m


Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD-5BCD DN200 guillotine 8 m
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD-5BCD DN200 guillotine 8 m
Time	9,20779 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44392
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	BIOGAZ_NON_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD-5BCD DN200 guillotine 8 m
Time	269,121 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



11. PHD_6A : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ BRUT EN PARTIE BASSE : RELARGAGE DE BIOGAZ BRUT SANS INFLAMMATION


11.1. Canalisation basse pré-digesteur 1m

Audit Number	44894
Averaging time	Toxic (3600 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_6A DN200 hauteur 1m
View Time	442,919 s
Weather	Multiple Weather
Workspace	PAPREC_PHA8T_DAE




11.2. Canalisation basse digesteur 1m

Audit Number	44804
Averaging time	Toxic (3600 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_6A DN200 hauteur 1m
View Time	2789,22 s
Weather	Multiple Weather
Workspace	PAPREC_PHA8T_DAE




11.3. Canalisation basse cuve expédition digestat 1m

Audit Number	44919
Averaging time	Toxic (3600 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_6A DN200 hauteur 1m
View Time	270,634 s
Weather	Multiple Weather
Workspace	PAPREC_PHA8T_DAE



11.4. Canalisation basse gazomètre


Audit Number	44970
Averaging time	Toxic (3600 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_6A DN200 hauteur 1 m
View Time	2123,43 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




12. PHD_6C ET 6D : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ BRUT EN PARTIE BASSE : RELARGAGE DE BIOGAZ BRUT ET INFLAMMATION RETARDEE

12.1. Canalisation basse pré-digesteur 1m


Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	0,0999657 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE



Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	1,09962 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Pré-digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	9,79664 s
Weather	Multiple Weather
Workspace	PAPREC_PHAIST_DAE




12.2. Canalisation basse digesteur 1m


Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	0,539968 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	11,3393 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Digesteur
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	52,9168 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




12.3. Canalisation basse cuve expédition digestat barges 1m


Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	0,0693445 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	2,4964 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Cuve expédition
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	6,79576 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




12.4. Canalisation basse gazomètre


Audit Number	45021
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	0,335104 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	45021
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	10,0531 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	45021
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	32,8402 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




13. PHD_7A : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ DESULFURE EN PARTIE BASSE : RELARGAGE DE BIOGAZ DESULFURE SANS INFLAMMATION

Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_7A DN200 hauteur 1 m
Time	1 s
Weather	Multiple Weather
Workspace	PAAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Toxic (3600 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_7A DN200 hauteur 1 m
Time	2101,72 s
Weather	Multiple Weather
Workspace	PAAPREC_PHAST_DAE




14. PHD_7C ET 7D : EMISSION DE GAZ SUITE RUPTURE GUILLOTINE D'UNE CANALISATION AERIENNE DE DISTRIBUTION DE BIOGAZ DESULFURE EN PARTIE BASSE : RELARGAGE DE BIOGAZ DESULFURE ET INFLAMMATION RETARDEE


Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	BIOGAZ_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	0,334916 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	BIOGAZ_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	9,37765 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	BIOGAZ_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	Time varying leak
Time	32,8218 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




15. PHD_8B ET 8C : EMISSION D'UN NUAGE DE BIOMETHANE SUITE RUPTURE GUILLOTINE D'UN TRONÇON AERIEN D'UNE CANALISATION DE BIOMETHANE RELIANT LE MODULE EPURATION AU POSTE D'INJECTION GRDF : RELARGAGE DE BIOMETHANE ET INFLAMMATION IMMEDIATE RETARDEE


Audit Number	44741
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOMETHANE
Material to track	BIOMETHANE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_8ABC DN50 hauteur 1 m horizontal
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44741
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOMETHANE
Material to track	BIOMETHANE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_8ABC DN50 hauteur 1 m horizontal
Time	110,094 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44741
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOMETHANE
Material to track	BIOMETHANE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_8ABC DN50 hauteur 1 m horizontal
Time	3564,73 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




16. PHD_10A : EMISSION DE GAZ SUITE GUILLOTINE DU TRONÇON AERIEN EN SORTIE DU COMPRESSEUR : RELARGAGE DE BIOGAZ DESULFURE SANS INFLAMMATION

Audit Number	45046
Averaging time	Toxic (3600 s)
Equipment	Gazomètre
Height of Interest	1 m
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Program	Phast 8.61
Scenario	PHD_10A DN65 hauteur 1 m horizontal
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




17. PHD_10C ET 10D : EMISSION DE GAZ SUITE GUILLOTINE DU TRONÇON AERIEN EN SORTIE DU COMPRESSEUR : RELARGAGE DE BIOGAZ DESULFURE ET INFLAMMATION RETARDEE

Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	BIOGAZ_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_10ABC DN65 hauteur 1 m horizontal
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




Audit Number	44438
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_DÉSULFURISÉ
Material to track	BIOGAZ_DÉSULFURISÉ
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_10ABC DN65 hauteur 1 m horizontal
Time	3564,68 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE




18. PHD_12A : REJET DE BIOGAZ BRUT EN SORTIE DE TORCHERE SUITE A PERTE DE BRULAGE SANS INFLAMMATION

Audit Number	45046
Averaging time	Toxic (3600 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DÉSULFURISÉ
Material to track	HYDROGEN SULFIDE
Offset from Centerline	0 m
Program	Phast 8.61
Scenario	PHD_12A DN200 hauteur 9 m vertical
View Time	2123,43 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



19. PHD_12B ET 12C : REJET DE BIOGAZ BRUT EN SORTIE DE TORCHERE SUITE A PERTE DE BRULAGE ET INFLAMMATION RETARDEE

Audit Number	44760
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_12ABC DN200 hauteur 9 m vertical
Time	1 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE



Audit Number	44760
Averaging time	Flammable (18,75 s)
Equipment	Gazomètre
Spacing parameter for the grid in the x dimension	0,1
Material	BIOGAZ_NON_DESULFURISE
Material to track	BIOGAZ_NON_DESULFURISE
Offset from Centerline	0 m
Program	Phast 8,61
Scenario	PhD_12ABC DN200 hauteur 9 m vertical
Time	2103,22 s
Weather	Multiple Weather
Workspace	PAPREC_PHAST_DAE

